

Radiological Physics and Technology

Volume 10, Number 4, December 2017

INVITED REVIEW ARTICLE

Physics of epi-thermal boron neutron capture therapy (epi-thermal BNCT)

Ryoichi Seki, Yushi Wakisaka, Nami Morimoto, Masaaki Takashina, Masahiko Koizumi, Hiroshi Toki, Mitsuhiro Fukuda 387

RESEARCH ARTICLES

A method for evaluating luminance non-uniformity of displays by use of a commercially available digital camera

Keishin Kawamoto, Shogo Tokurei, Junji Morishita 409

General equations for optimal selection of diagnostic image acquisition parameters in clinical X-ray imaging

Xiaoming Zheng 415

Effects of a novel tungsten-impregnated rubber neck shield on the quality of cerebral images acquired using ¹⁵O-labeled gas

Kei Wagatsuma, Keiichi Oda, Kenta Miwa, Motoki Inaji, Muneyuki Sakata, Jun Toyohara, Kiichi Ishiwata, Masayuki Sasaki, Kenji Ishii 422

Quantitative knee cartilage measurement at MR imaging of patients with anterior cruciate ligament tear

Kazuki Kato, Tamotsu Kamishima, Eiji Kondo, Tomohiro Onodera, Shota Ichikawa 431

Validation of a calibration method using the cross-calibration factor and system planar sensitivity in quantitative single-photon emission computed tomography imaging

Norikazu Matsutomo, Saki Matsumoto, Tomoaki Yamamoto, Eisuke Sato 439

Improved wedge method for the measurement of sub-millimeter slice thicknesses in magnetic resonance imaging

Tsutomu Kanazawa, Masaki Ohkubo, Tatsuya Kondo, Takayuki Miyazawa, Shoichi Inagawa 446

Assessment of dose uniformity around high dose rate ¹⁹²Ir and ⁶⁰Co stepping sources

Bagher Farhood, Mahdi Ghorbani 454

Whole-body biodistribution and the influence of body activity on brain kinetic analysis of the ¹¹C-PiB PET scan

Go Akamatsu, Tomoyuki Nishio, Kazuhiko Adachi, Yasuhiko Ikari, Michio Senda 464

Quantitative analysis of effects of hemodynamic stress on temporal variations of cardiac phases in models of human carotid bulbs

Tatsunori Saho, Hideo Onishi 475

Influence of Gd-EOB-DTPA on proton density fat fraction using the six-echo Dixon method in 3 Tesla magnetic resonance imaging

Tatsuya Hayashi, Kei Fukuzawa, Hiroshi Kondo, Hiroshi Onodera, Shuji Toyotaka, Rie Tojo, Shimpei Yano, Masakatsu Tano, Tosiaki Miyati, Jun'ichi Kotoku, Takahide Okamoto, Keiko Toyoda, Hiroshi Oba 483

Clinical utility of ultra-low-dose pre-test exposure to avoid unnecessary patient exposure due to positioning errors: a simulation study

Hideo Nose, Junji Shiraishi 489

Relationship between tumor volume and quantitative values calculated using two-dimensional bone scan images

Shota Hosokawa, Kazumasa Inoue, Yasuyuki Takahashi, Kazunori Kawakami, Daisuke Kano, Yoshihiro Nakagami, Masahiro Fukushi 496

TECHNICAL NOTES

Quantification of the radiation dose to the pyramidal tract using tractography in treatment planning for stereotactic radiosurgery

Kohei Kawasaki, Masanobu Matsumoto, Masayuki Kase, Osamu Nagano, Kyoko Aoyagi, Takahiro Kageyama 507

Mis-segmentation in voxel-based morphometry due to a signal intensity change in the putamen

Masami Goto, Osamu Abe, Tosiaki Miyati, Shigeki Aoki, Tsutomu Gomi, Tohoru Takeda 515

CLINICAL PROCEDURES AND TECHNIQUES

Radiobiological analysis of stereotactic body radiation therapy for an evidence-based planning target volume of the lung using multiphase CT images obtained with a pneumatic abdominal compression apparatus: a case study

Arun Chairmadurai, Harish Chandra Goel, Sandeep Kumar Jain, Pawan Kumar 525

LETTER TO THE EDITOR

How should we manage internal margins in four-dimensional dose assessments?

Shinichiro Mori, Christian Graeff, Nobuyuki Kanematsu 535

Acknowledgment 538